

93387031  
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address <b>Douglas Aircraft Company, C1-Q6C (11-11) Attn: Rob Tuell 3855 Lakewood Blvd. Long Beach, CA 90846</b>		C AD 086510005 87031		A. State Manifest Document Number <b>93387031</b>	
4. Generator's Phone (310) 496-6287 or (310) 593-3101		6. US EPA ID Number		B. State Generator's ID <b>HIYHQ36006814</b>	
5. Transporter 1 Company Name <b>Laidlaw Environmental Services of CA, Inc.</b>		8. US EPA ID Number <b>CA D 0000083121</b>		C. State Transporter's ID <b>448026</b>	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone <b>(310) 518-4700</b>	
9. Designated Facility Name and Site Address <b>Norris Environmental Services 5215 South Boyle Avenue Los Angeles, CA 90058</b>		10. US EPA ID Number <b>CA D 097030993</b>		E. State Transporter's ID	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		13. Total Quantity	
a. RQ, Waste corrosive liquids, n.o.s., 8, UN1760, PGIII (D002, D007)		001 DF		00329 P	
b. RQ, Waste sulfuric acid, 8, UN1830, PG II (D002)		018 DF		08270 P	
c. RQ, Waste ammonia solutions, 8, UN2672, PG III (D002)		001 DF		00290 P	
d. RQ, Hazardous waste, liquid, n.o.s., 9, NA3082, PG III (D007)		002 DM		00865 P	
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above		L. Waste Number	
11a. E0159400114. Mixed acids. Add codes 723, D007.		a. 15		b. 15	
11b. E0159400136AC Sulfuric acid rinse water from DMJM product tank.		c. 15		d. 15	
11c. E0108200107AK Ammonia solution - E0159400118AK					
11d. E0108200136CA DMJM rinse water - E0159400137CB					
15. Special Handling Instructions and Additional Information <b>24 Hour emergency telephone number (800) 424-9300 (Chemtrec). DOT ERG# 11a) 60 b) 39 c) 60 d) 31 Site address: 19503 South Normandie Avenue, Torrance, CA 90502.</b>					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.  If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name <b>Robert G. Tuell, Jr.</b>		Signature <i>Robert G. Tuell, Jr.</i>		Month Day Year <b>12 05 94</b>	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <b>Lee Harris</b>		Signature <i>Lee Harris</i>		Month Day Year <b>12 05 94</b>	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space <i>(Item 11) Other toxic constituent present in waste, 11(a) EPA-D006, 11(b) EPA-D010; 11(c) State code should be 135 instead of 151.</i>					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name <b>ANSON PUA</b>					
Signature <i>ANSON PUA</i>		Month Day Year <b>12 05 94</b>			

DO NOT WRITE BELOW THIS LINE.

**UNIFORM HAZARDOUS  
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas  
is not required by Federal law.

CAD086510005 87031

of 1

3. Generator's Name and Mailing Address

Douglas Aircraft Company, C1-Q6C (11-11) Attn: Rob Tuell  
3855 Lakewood Blvd. Long Beach, CA 90846

4. Generator's Phone (310) 496-6287 or (310) 593-3101

5. Transporter 1 Company Name

6. US EPA ID Number

Laidlaw Environmental Services of CA, Inc. CAD000083121

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

10. US EPA ID Number

Norris Environmental Services  
5215 South Boyle Avenue  
Los Angeles CA 90050

CAD097030993

(213) 588-7111

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers  
No. Type

13. Total  
Quantity

14. Unit  
Wt/Vol

15. Waste Number

State 793

EPA/Other 0002

State 793

EPA/Other 0002

State 122

EPA/Other 0002

State 181

EPA/Other 0002

State 181

EPA/Other 0002

State 181

EPA/Other 0002

a. RQ, Waste corrosive liquids, n.o.s., 8, UN1760,  
PG III (D002, D007)

001 DF 00329 P

b. RQ, Waste sulfuric acid, 8, UN1830, PG II (D002)

018 DF 08270 P

c. RQ, Waste ammonia solutions, 8, UN2672, PG III  
(D002)

001 DF 00290 P

d. RQ, Hazardous waste, liquid, n.o.s., 9, NA3082,  
PG III (D007)

002 DM 00865 P

J. Additional Descriptions for Materials Listed Above

11a. E0150400114. Mixed acids. Add codes 723, D007.

11b. Sulfuric acid rinse water from DMJM product tank.

11c. E0106200107AK. Ammonia solution

11d. E0106200138CH. DMJM rinse water

K. Handling Codes for Wastes Listed Above

a. b.

c. d.

15. Special Handling Instructions and Additional Information

24 Hour emergency telephone number (800) 424-9300 (Chemtree). DOT ERG# 11a) 60 b) 39 c) 60 d) 31  
Site address: 19503 South Normandie Avenue, Torrance, CA 90502.

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

Robert G. Tuell, Jr.

Robert G. Tuell, Jr.

12 05 94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

Lee Harris

Lee Harris

12 05 94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

DO NOT WRITE BELOW THIS LINE.

Generator Name: Douglas Aircraft Co  
Manifest Number: 87031 93387031 12-05-94

EPA ID Number: CAD086512005

Date of Shipment: 12/05/94

Indicate Waste Line Item (11): a

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulation described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes Notification

RCRA Land Disposal Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☒ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation: Metals Recovery

(check those that apply)

- |   |             |
|---|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As)                     | 5.0 mg/L:   |
| <input type="checkbox"/> Barium and/or compounds (as Ba)                      | 100.0 mg/L: |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd)                     | 1.0 mg/L:   |
| <input checked="" type="checkbox"/> Chromium (VI) and/or compounds as Cr (VI) | 5.0 mg/L:   |
| <input type="checkbox"/> Lead and/or compounds (as Pb)                        | 5.0 mg/L:   |
| <input type="checkbox"/> Mercury and/or compounds (as Hg)                     | 0.2 mg/L:   |
| <input type="checkbox"/> Selenium and/or compounds (as Se)                    | 1.0 mg/L:   |
| <input type="checkbox"/> Silver and/or compounds (as Ag)                      | 5.0 mg/L:   |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☒ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE \_\_\_\_\_ Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr. Senior Plant Engineer

12-05-94

Robert G. Tuell, Jr.

(310) 496-6287

Waste Requires Treatment

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where treatment standard exists for the California List Waste, waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

Generator Name: Douglas Aircraft Co  
Manifest Number: 87031/93387031 12-05-94

EPA ID Number: CAD086510005

Date of Shipment: 12/05/94

Indicate Waste Line Item (11): b

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes Notification

RCRA Land Disposal Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation: Metals Recovery

(check those that apply)

- |  |             |
|--|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As)          | 5.0 mg/L:   |
| <input type="checkbox"/> Barium and/or compounds (as Ba)           | 100.0 mg/L: |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd)          | 1.0 mg/L:   |
| <input type="checkbox"/> Chromium (VI) and/or compounds as Cr (VI) | 5.0 mg/L:   |
| <input type="checkbox"/> Lead and/or compounds (as Pb)             | 5.0 mg/L:   |
| <input type="checkbox"/> Mercury and/or compounds (as Hg)          | 0.2 mg/L:   |
| <input type="checkbox"/> Selenium and/or compounds (as Se)         | 1.0 mg/L:   |
| <input type="checkbox"/> Silver and/or compounds (as Ag)           | 5.0 mg/L:   |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☒ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Print Name Robert G. Tuell, Jr. Title Sr. Plant Engineer

Date 12-05-94

(310) 496-6287

Waste Requires Treatment

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where a treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

Generator Name: Douglas Aircraft Co  
Manifest Number: 87031 / 93387031 <sup>12-05-94</sup> <sub>87031</sub> <sub>93387031</sub> <sub>12-05-94</sub>

EPA ID Number: CA0086510005

Date of Shipment: 12/05/94

Indicate Waste Line Item (11): C

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulation described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation, Metals Recovery

(check those that apply)

- |  |            |
|--|------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As)        | 5.0 mg/L   |
| <input type="checkbox"/> Barium and/or compounds (as Ba)         | 100.0 mg/L |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd)        | 1.0 mg/L   |
| <input type="checkbox"/> Chromium (VI and/or compounds as Cr VI) | 5.0 mg/L   |
| <input type="checkbox"/> Lead and/or compounds (as Pb)           | 5.0 mg/L   |
| <input type="checkbox"/> Mercury and/or compounds (as Hg)        | 0.2 mg/L   |
| <input type="checkbox"/> Selenium and/or compounds (as Se)       | 1.0 mg/L   |
| <input type="checkbox"/> Silver and/or compounds (as Ag)         | 5.0 mg/L   |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☐ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE \_\_\_\_\_ Check constituent(s) on Table CCWE which were required below treatment standards

RCRA Land Disposal Notification

Waste Requires Treatment

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where treatment standard exists for the California List Waste, waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart E and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Print Name: Robert G. Tuell, Jr. Title: Sr. Plant Engineer  
Robert G. Tuell, Jr. (310) 496-6287

Date: 12-05-94

Generator Name: Douglas Aircraft CoEPA ID Number: CAD086510005Manifest Number: 87031Date of Shipment: 12/05/94Indicate Waste Line Item (11): d

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulation described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes NotificationRCRA Land Disposal Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☒ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation: Metals Recovery

(check those that apply)

- |   |             |
|---|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As)                   | 5.0 mg/L:   |
| <input type="checkbox"/> Barium and/or compounds (as Ba)                    | 100.0 mg/L: |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd)                   | 1.0 mg/L:   |
| <input checked="" type="checkbox"/> Chromium (VI and/or compounds as Cr VI) | 5.0 mg/L:   |
| <input type="checkbox"/> Lead and/or compounds (as Pb)                      | 5.0 mg/L:   |
| <input type="checkbox"/> Mercury and/or compounds (as Hg)                   | 0.2 mg/L:   |
| <input type="checkbox"/> Selenium and/or compounds (as Se)                  | 1.0 mg/L:   |
| <input type="checkbox"/> Silver and/or compounds (as Ag)                    | 5.0 mg/L:   |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☐ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE. Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr. Sr. Plant Engineer  
Print Name Title

12-05-94  
DateWaste Requires Treatment

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where a treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.



# WORK ORDER



221 E. "D" ST. • P.O. Box 1175  
WILMINGTON, CA 90748-1175  
(310) 518-4700 • (800) 955-5359

CUSTOMER/ACCT. NO  
240120

WORK ORDER NO.  
**09033**  
9018

BILLING ADDRESS  
SAME

SERVICE ADDRESS  
DOUGLAS AIRCRAFT  
190TH X NORMANDIE  
TORRANCE CA  
90505

ORDER DATE 11/29/94	DATE TO BE DONE 12/03/94	CUSTOMER P.O. # 27064-H6286	ORDERED BY FRED WENDLAND	TELEPHONE# ( ) 0 0	CONTACT PERSON
REP.	DIV. #	DEPARTMENT	CUSTOMER'S EPA #	CUSTOMER'S BD OF EQUAL #	CONTACT PHONE # ( ) 0 0

1 FLATRACK P/U 1DRUM FOR DISPOSAL AT NORRIS

Arrived DAC Torrance 0630  
Left DAC Torrance 1030

Note: This was the  
same truck and same load  
pickup as ~~270~~ work order  
09032.

Robert B. Trull, Jr. 12-05-94

## DRIVER COMPLETE:

SERVICES PERFORMED PICK UP DRUMS AT DOUGLAS TORRANCE  
HAUL TO ENSCO WEST AND TO NORRIS-LA

START TIME 0700 STOP TIME \_\_\_\_\_ START MILES \_\_\_\_\_ END MILES \_\_\_\_\_ TRUCK NUMBER 16002 TRAILER NUMBER 16032  
Manifest Number 9338702293387023-93387031 Date Completed \_\_\_\_\_ Drivers Name Heetharris  
nments \_\_\_\_\_

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature Robert B. Trull, Jr. 12-05-94

PRICING INSTRUCTIONS - DRUMS

Cleaning \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Project Manager \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

First Technician \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Second Technician \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Third Technician \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Fourth Technician \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Fifth Technician \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Truck # \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Truck # \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Truck # \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

6.11.10-6.11.10 \_\_\_\_\_

ATTN: (707) 430-1111 \_\_\_\_\_

8453-29 (0.10) - 10/1/11 \_\_\_\_\_

Sundays, Holidays, and After Hours @ \_\_\_\_\_ % = \_\_\_\_\_

TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY

5 Gal. Cans Liquid @ \_\_\_\_\_ Each

5 Gal. Cans Solid @ \_\_\_\_\_ Each

5 Gal. Cans Lab Packed @ \_\_\_\_\_ Each

55 Gal. Drums Liquid @ \_\_\_\_\_ Each

55 Gal. Drums Solid @ \_\_\_\_\_ Each

55 Gal. Drums Lab Packed @ \_\_\_\_\_ Each

Empty 5 Gal. Cans @ \_\_\_\_\_ Each

Empty 55 Gal. Cans @ \_\_\_\_\_ Each

County Tax \_\_\_\_\_

MATERIALS USED

5 Gal. Cans @ \_\_\_\_\_ Each

55 Gal. Drums @ \_\_\_\_\_ Each

Recovery Drums @ \_\_\_\_\_ Each

Bags Vermiculite @ \_\_\_\_\_ Each

Bags (Other Describe) @ \_\_\_\_\_ @ \_\_\_\_\_ = \_\_\_\_\_

Hazardous Waste Labels @ \_\_\_\_\_ Each

Drum Liners @ \_\_\_\_\_ Each

Safety Equipment Number of Sets @ \_\_\_\_\_ @ \_\_\_\_\_ = \_\_\_\_\_

PRICING INSTRUCTIONS - PUMPING

Compensation \_\_\_\_\_ Hrs. @ \_\_\_\_\_ Per Hr.

Washout Fee \_\_\_\_\_

Dump Fee \_\_\_\_\_

TOTAL \_\_\_\_\_